

FIG. 1




FIG.2




FIG. 3




FIG. 4




FIG.5

LOGICAL INTERFACE	DOMAIN
IF-0	A
IF-1	B
IF-2	C

FIG. 5 is a schematic diagram of a system architecture.

FIG.6

<div>DESTINATION DOMAIN</div> <div>SOURCE DOMAIN</div>	A	B	C
A	—	x	x
B	N	—	N
C	x	x	—

Prepared with S&S

FIG. 7

BEFORE-TRANSLATION IP ADDRESS	AFTER-TRANSLATION IP ADDRESS
133.160.5.2	10.25.60.2
.....

FIG. 7: See also

FIG.8

DESTINATION IP ADDRESS	NETMASK	NEXT HOP NODE IP ADDRESS	FORWARDING LOGICAL INTERFACE
140.2.100.0	255.255.255.0	—	IF-0
133.160.5.0	255.255.255.0	—	IF-1
10.25.60.0	255.255.255.0	—	IF-2
0.0.0.0	0.0.0.0	140.2.100.180	IF-0

Downloaded from www.stuvia.com

FIG. 10




FIG.12

<div>DESTINATION DOMAIN</div> <div>SOURCE DOMAIN</div>	A	B	C
A	—	x	x
B	N	—	N
C	N	x	—

FIG. 12

FIG. 13




FIG. 14

